



Apollo Bridge

SKU: 900-4014

Wireless DMX System

PRODUCT DESCRIPTION

ULTIMATE LIGHTING CONTROL IN THE PALM OF YOUR HAND

Precision control from the palm of your hand with the industry's most powerful and reliable wireless DMX system. With the revolutionary Apollo Bridge, you can create a wireless DMX network to control a wider range of lighting fixtures than any other system. With the Apollo Control app in your hand - on any iOS device - your vision comes to life; the beautiful and intuitive graphic interface delivers effortless real time control of every aspect of your lighting from a single light fixture to the largest productions. Lighting control has never been easier.

Features:

- Industry leading wireless DMX technology.
- Reliable, responsive long-range wireless with dual band Wi-Fi.
- Compatible with any DMX Lighting device or controller.
- Pair with Apollo Control app for effortless lighting control.
- Multiple connector ports for wired DMX distribution.
- Easily configure network settings from a mobile device.
- Add multiple Apollo Bridges to expand your lighting network.
- ¼ 20" thread for easy rigging / mounting.
- USB-C power connector for simple battery attachment.

Complete wireless DMX control in an instant

When time and resources are short, Apollo delivers fast and stable wireless DMX control, configured and running in minutes. Change lighting settings, DMX addresses and control modes on the fly for precision lighting control not previously possible on time-short productions.

One intuitive app to enable your creative vision

Artistic control of lighting comes naturally with the Apollo Control app. Take control of all lighting features in a visual way for ultimate clarity, direction and precision. Simple enough to pick up and start painting with light immediately, and advanced enough to create multiple, complex lighting setups, Apollo is the fastest wireless system to realize your creative vision.

Freedom to move, power to create

Move around large sets freely knowing you're always connected to your lighting and in control with Apollo's industry leading signal range and reliability. See your light settings on screen and adjust in real time for a streamlined workflow with instant results. Run the Apollo bridge and your lighting directly from batteries and control everything with your phone or tablet for complete wireless control with instant response.

Ultra-reliable connectivity with zero latency

No interruptions and no fixture drop-offs. Built-in dynamic RF transmission automatically avoids network interference and creates a signal level you can depend with no latency for complete reliability.

Universal compatibility, infinite scalability

Apollo has been designed to operate with any fixture with a DMX input, as well as existing DMX networking and wireless DMX equipment. Run just one system and centralize control of your lighting, with no compromise on which lights you choose use. With full sACN capabilities, add multiple Apollo bridges to provide wireless DMX control to as many universes as you need perfect for even the largest productions.

TECHNICAL SPECIFICATIONS

Range	DMX and Wireless Control
Width	10 cm 3.94 in
Height	45 mm 1.77 in
Depth	13.8 cm 5.43 in
Weight	0.62 kg 1.37 lb

