



Astra IP 2x1 (Standard Yoke, UK Power Cable)

SKU: 936-2201

- Bi-Color 2x1 LED panel (2,700K to 6,500K)
- IP65 weatherproof rating
- High output of 5,500 lux at 10ft/3m with 30° beam angle
- Diffusion panel included
- CRI/TLCI average 95
- Lightweight at just 17.2lb/7.8kg
- Compatible with a wide range of mobile power options
- Integrated Bluetooth with optional DMX module
- Range of optional modifiers and other accessories



PRODUCT DESCRIPTION

All-Weather Performance


The industry's best-selling Bi-Color LED panel has evolved. Astra IP is tough and water-resistant, delivering intense output in lightweight 1x1, half-size and 2x1 fixtures with fast set up for high-performance broadcast lighting in demanding environments.

TECHNICAL SPECIFICATIONS

Range	Astra IP
Comparative Output	Daylight (Lux at 10ft/3m): 5500
CRI Daylight	95
CRI Tungsten	95
Width	68.7 cm 27.05 in
Height	42.6 cm 16.77 in
Depth	12.3 cm 4.84 in
Max Power Draw	250W
Optics	30° custom TIR lens
Remote Control	Bluetooth (integrated), DMX, RDM (requires separate module)
Mounting Method	Junior Pin
Color Temperature	2,700° - 6500°K
Dimming Control	Constant Current 0-100% Continuous (flicker free)
Lighting Control Modes	CCT/FX single dial with LCD menu control
Fan Control	Yes
USB Updates	Yes
Ambient Temp Operation	-20°C to 45°C -4 °F to 113 °F
Estimated LED lifetime	50000+ hrs
Height (Without Yoke)	31.3 cm 12.32 in
Width (Without Yoke)	63.2 cm 24.88 in
Depth (Without Yoke)	12.3 cm 4.84 in
Weight	7.8 kg 17.2 lb

PHOTOMETRICS

Tungsten 3200K



Daylight 5600K

