



## Gemini 2X1 Hard RGBWW LED Panel (Standard Yoke, Bare Ends)

SKU: 940-2401

- The most powerful 2x1 panel
- 23,000 lux at 10ft/3m (5600°K)
- Ultra-light and domed diffusers included
- Extended CCT range: 2,700-10,000K
- Color accuracy: CRI: 95, TLCI: 97
- Full RGBWW color gamut mixing
- CCT, HSI and XY control profiles
- Weight: 25.3lbs / 11.5 kg
- Flicker-free dimming at any frame rate
- Integrated DMX, RDM and CRMX



## PRODUCT DESCRIPTION

### THE BRIGHTEST. THE LIGHTEST.

Brighter than any other 2x1 panel, yet lighter than its peers, Gemini 2x1 Hard is a beautiful paradox delivering up to 23,000 lux of glorious high quality cinematic lighting in a lightweight agile fixture.

Gemini 2x1 Hard can deliver a powerful 20° beam of accurate hard white light, or seamlessly switch to a beautiful soft 100° wash, and at the touch of a button, unleash a world of creativity with full RGBWW output and special effects. With dual or quad mounting options to bank fixtures together creating up to four times the volume of intense light, Gemini 2x1 Hard is the ultimate production light.

## TECHNICAL SPECIFICATIONS


<b>Range</b>	2x1 LED Panels
<b>Color Temperature</b>	RGBWW
<b>Beam Angle</b>	20 to 100
<b>Comparative Output</b>	23000 lux Daylight at 10ft/3m, 20000 Tungsten at 10ft/3m
<b>CRI Daylight</b>	95
<b>CRI Tungsten</b>	95
<b>Width</b>	63.4 cm   24.96 in
<b>Height</b>	32 cm   12.6 in
<b>Depth</b>	17.6 cm   6.93 in
<b>Weight</b>	11.5 kg   25.35 lb
<b>Gel Filter</b>	Optional Daylight or Tungsten source
<b>Max Power Draw</b>	500W
<b>Optics</b>	Ultra Light diffusion panel, Domed diffusion panel
<b>Remote Control</b>	Built-in Wired DMX (RJ-45 and XLR5) / Wireless DMX (LumenRadio) Module / Bluetooth Module
<b>Battery Option</b>	Optional battery bracket (not included)
<b>Wireless</b>	Yes
<b>Mounting Method</b>	Junior Pin
<b>Rear LCD Screen</b>	Yes
<b>IP Rating</b>	IP20
<b>Field Angle</b>	156

## IN THE BOX


- Litepanels Gemini 2×1 Hard RGBWW Fixture with integrated power supply
- Standard Yoke with Junior Pin
- 3m Bare Ends powerCON cable
- Ultra Light Diffusion
- Domed Diffusion

# COLOR CHARTS


■ Spectrum




■ CRI




■ General Color Rendition




■ General Color Rendition



■ Spectrum



■ CRI:



## YOU MAY ALSO LIKE...



[Gemini 1x1 Hard RGBWW LED Panel \(Pole-Operated Yoke, Bare Ends\)](#)



[Gemini 1x1 Hard RGBWW LED Panel \(Standard Yoke, EU Power Cable\)](#)



[Gemini 1x1 Hard RGBWW LED Panel \(Standard Yoke, UK Power Cable\)](#)



[Gemini 1x1 Hard RGBWW LED Panel \(Standard Yoke, US Power Cable\)](#)



[Gemini 1x1 Hard RGBWW LED Panel \(Standard Yoke, Bare Ends\)](#)



[Gemini 1x1 Hard RGBWW LED Panel \(Pole-Operated Yoke, EU Power Cable\)](#)



[Gemini 1x1 Hard RGBWW LED Panel \(Pole-Operated Yoke, UK Power Cable\)](#)



[Gemini 1x1 Hard RGBWW LED Panel \(Pole-Operated Yoke, US Power Cable\)](#)