



Gemini 2x1 Soft RGBWW LED Panel (Pole-Operated Yoke, UK Power Cable)

SKU: 940-1211

- Lux at 10ft/3m: 1079 (Daylight)
- Extended CCT range: 2,700-10,000°K
- Color accuracy: TLCI/CRI: 99
- Weight: 22.27lbs / 10.1kg
- Full RGBWW color gamut mixing
- Flicker-free dimming at any frame rate
- Wired or wireless DMX & Bluetooth control
- Optional mobile battery power



PRODUCT DESCRIPTION

CREATIVE, HIGH OUTPUT, QUALITY CINEMATIC LIGHTING

Unleash your creative vision and bring high quality cinematic lighting to your set with the lightweight versatile Gemini 2x1 Soft. Control light precisely with more creative options than ever, from a beautiful soft white light to full RGBWW, Gemini delivers the instant flexibility you need for endless creative lighting options in one unique easy-to-handle fixture. Whether in the studio or out on location, the high-output, quick-to-rig Gemini 2x1 provides exceptional results for any production.

TECHNICAL SPECIFICATIONS

Range	2x1 LED Panels
Color Temperature	RGBWW
Beam Angle	93
Comparative Output	1079 lux Daylight at 10ft/3m, 906 Tungsten at 10ft/3m
CRI Daylight	99
CRI Tungsten	99
Width	63.5 cm 25 in
Height	16.5 cm 6.5 in
Depth	31.8 cm 12.52 in
Weight	10.1 kg 22.27 lb
Gel Filter	Optional Daylight or Tungsten source
Max Power Draw	325W
Optics	Medium diffusion panel
Remote Control	Built-in Wired DMX (RJ-45 and XLR5) / Wireless DMX (LumenRadio) Module / Bluetooth Module
Battery Option	Optional battery bracket (not included)
Wireless	Yes
Mounting Method	Junior Pin
Rear LCD Screen	Yes
IP Rating	IP20
Field Angle	156


IN THE BOX

- Litepanels Gemini 2×1 Soft RGBWW Fixture with integrated power supply
- Pole-Operated Yoke with Junior Pin
- 3m UK powerCON cable

COLOR CHARTS

Gemini 2x1 Soft Panel (5600K): CCT = D5614 (-0.7)


TLCI-2012 : 97 (D5614)



ColorChecker video (800/700) coded


EBU : TLCI-2012
Litepanels

Sector	Lightness	Chroma	Hue
R	0	0	0
R/Y	0	0	-
Y	0	0	0
Y/G	0	0	0
G	0	0	0
G/C	0	0	0
C	0	0	0
C/B	0	0	-
B	0	-	-
B/M	0	-	0
M	0	0	0
M/R	0	0	0



Gemini 2x1 Soft Panel (3200K): CCT = P3239 (-0.1)



TLCI-2012 : 99 (P3239)



ColorChecker video (800/700) coded

EBU : TLCI-2012
Litepanels

Sector	Lightness	Chroma	Hue
R	0	0	0
R/Y	0	0	0
Y	0	0	0
Y/G	0	0	0
G	0	0	0
G/C	0	0	0
C	0	0	0
C/B	0	0	0
B	0	-	0
B/M	0	0	0
M	0	0	0
M/R	0	0	0



YOU MAY ALSO LIKE...



[Astra 6X Daylight LED Panel](#)



[Astra Bi-Focus Daylight LED Panel](#)



[Gemini 1x1 Soft RGBWW LED Panel \(Standard Yoke, Bare Ends\)](#)