

Lykos+ Bi Color

SKU: 935-3190

- Over 2,000 lux at 3ft/1m at 5600K
- TLCI / CRI 96 color accuracy
- 3200K - 5600K adjustable color temperature
- 100-0% flicker-free adjustable brightness
- Optional Lykos Bluetooth Dongle
- L-Series battery mount



PRODUCT DESCRIPTION

Broadcast quality lighting wherever you need it. Fast to set up, fits anywhere. The lightweight, compact Lykos+ Bi-color LED panel is one of the smallest in the Litepanels range but delivers an impressive 2000 lux (@3ft/1m) of accurate white light at any color temperature from 3200-5600K in an instant

Go everywhere – fit anywhere

Expand your creative options with a brighter mini panel. Weighing in at just 1lb (0.5kg), adding quality white light to your set has never been easier. Lykos+ is the perfect light for remote locations or tight spaces, its compact size fits into any scene and with over two hours of battery operation it won't leave you in the dark. With robust travel kits including, lights, stands and flight case, your Lykos+ lighting can go anywhere you need it.

[Learn more about Lykos+](#) ↗

TECHNICAL SPECIFICATIONS

Range	Lykos
Color Temperature	Bi-color
Beam Angle	50 to
Comparative Output	2,000 lux at 3ft/1m at 5600K
CRI Daylight	96
CRI Tungsten	96
Width	15.2 cm 5.98 in
Height	26 cm 10.24 in
Depth	42 mm 1.65 in
Weight	0.6 kg 1.32 lb
Gel Filter	Diffusion gel included
Max Power Draw	23W
Optics	Flood - Precision custom TIR lens
Remote Control	Bluetooth Module
Battery Option	Anton/Bauer 7.2V NPF / Sony L
Wireless	Yes
Mounting Method	Cold shoe/female 1/4"
Rear LCD Screen	Yes
IP Rating	IP20
Power Supply	AC Adapter (9V DC)

YOU MAY ALSO LIKE...



[Lykos+ BiColor Flight Kit with Battery Bundle - UK](#)



[Lykos+ BiColor Flight Kit with Battery Bundle - EU](#)



[Lykos+ BiColor Soft Box](#)



[Lykos+ BiColor Flight Kit](#)